
pytest-workflow Documentation

Release 2.1.0.dev0

Leiden University Medical Center

Jan 20, 2023

Contents

1	Introduction	3
2	Installation	5
2.1	In a virtual environment	5
2.2	On Ubuntu or Debian	5
2.3	Conda	5
3	Writing tests with pytest-workflow	7
3.1	Getting started	7
3.2	Test options	7
3.3	Environment variables	9
3.4	Writing custom tests	9
4	Running pytest-workflow	11
4.1	Usage	11
4.2	Specific pytest options for pytest workflow	11
4.3	Setting specific per-project settings using pytest.ini	12
4.4	Temporary directory cleanup and creation	12
4.5	Running multiple workflows simultaneously	13
4.6	Running specific workflows	13
5	Examples	15
5.1	Snakemake example	15
5.2	WDL with Cromwell example	15
5.3	WDL with miniwdl example	16
5.4	Nextflow example	17
5.5	Bash example	17
6	Known issues	19
7	Reporting bugs and feature requests	21
8	Contributing	23
9	Changelog	25
9.1	version 2.1.0-dev	25
9.2	version 2.0.1	25
9.3	version 2.0.0	25

9.4	version 1.6.0	26
9.5	version 1.5.0	26
9.6	version 1.4.0	26
9.7	version 1.3.0	27
9.8	version 1.2.3	27
9.9	version 1.2.2	27
9.10	version 1.2.1	28
9.11	version 1.2.0	28
9.12	version 1.1.2	28
9.13	version 1.1.1	28
9.14	version 1.1.0	28
9.15	Version 1.0.0	28
9.16	Version 0.4.0	29
9.17	Version 0.3.0	29
9.18	Version 0.2.0	30
9.19	Version 0.1.0	30

Table of contents

- *pytest-workflow*
- *Introduction*
- *Installation*
 - *In a virtual environment*
 - *On Ubuntu or Debian*
 - *Conda*
- *Writing tests with pytest-workflow*
 - *Getting started*
 - *Test options*
 - *Environment variables*
 - *Writing custom tests*
- *Running pytest-workflow*
 - *Usage*
 - *Specific pytest options for pytest workflow*
 - * *Named Arguments*
 - *Setting specific per-project settings using pytest.ini*
 - *Temporary directory cleanup and creation*
 - *Running multiple workflows simultaneously*
 - *Running specific workflows*
- *Examples*
 - *Snakemake example*
 - *WDL with Cromwell example*
 - *WDL with miniwdl example*
 - *Nextflow example*
 - *Bash example*
- *Known issues*
- *Reporting bugs and feature requests*
- *Contributing*
- *Changelog*
 - *version 2.1.0-dev*
 - *version 2.0.1*
 - *version 2.0.0*
 - *version 1.6.0*
 - *version 1.5.0*

- *version 1.4.0*
- *version 1.3.0*
- *version 1.2.3*
- *version 1.2.2*
- *version 1.2.1*
- *version 1.2.0*
- *version 1.1.2*
- *version 1.1.1*
- *version 1.1.0*
- *Version 1.0.0*
- *Version 0.4.0*
- *Version 0.3.0*
- *Version 0.2.0*
- *Version 0.1.0*

CHAPTER 1

Introduction

Writing workflows is hard. Testing if they are correct is even harder. Testing with bash scripts or other code has some flaws. Is this bug in the pipeline or in my test-framework? Pytest-workflow aims to make testing as simple as possible so you can focus on debugging your pipeline.

Pytest-workflow is tested on python 3.7, 3.8, 3.9, 3.10 and 3.11.

2.1 In a virtual environment

- Create a new python3 virtual environment.
- Make sure your virtual environment is activated.
- Install using `pip install pytest-workflow`.

2.2 On Ubuntu or Debian

- This requires the `python3` and `python3-pip` packages to be installed.
- Installing
 - system-wide: `sudo python3 -m pip install pytest-workflow`.
 - for your user only (no sudo needed): `python3 -m pip install --user pytest-workflow`
- `pytest` can now be run with `python3 -m pytest`.

Note: Running plain `pytest` on Ubuntu or Debian outside of a virtual environment will not work with `pytest-workflow` because this will start the python2 version of `pytest`. This is because python2 is the default python on any distribution released before January 1st 2020.

2.3 Conda

Pytest-workflow is also available as a [conda package on conda-forge](#). To install with conda:

- Set up conda to use the conda-forge channel
 - If you want to use pytest-workflow together with bioconda you can follow [the instructions here](#).
- `conda install pytest-workflow`.

Writing tests with pytest-workflow

3.1 Getting started

In order to write tests that are discoverable by the plugin you need to complete the following steps.

- Create a `tests` directory in the root of your repository.
- Create your test yaml files in the `tests` directory. The files need to start with `test` and have a `.yaml` or `.yml` extension.

Below is an example of a YAML file that defines a test:

```
- name: Touch a file
  command: touch test.file
  files:
    - path: test.file
```

This will run `touch test.file` and check afterwards if a file with `path: test.file` is present. It will also check if the `command` has exited with exit code 0, which is the only default test that is run. Testing workflows that exit with another exit code is also possible.

3.2 Test options

```
- name: moo file                                # The name of the workflow (required)
  command: bash moo_workflow.sh                 # The command to execute the workflow (required)
  files:                                         # A list of files to check (optional)
    - path: "moo.txt"                           # File path. (Required for each file)
      contains:                                  # A list of strings that should be in the file
        - "moo"
      must_not_contain:                          # A list of strings that should NOT be in the
        - "moo"                                  file (optional)
```

(continues on next page)

(continued from previous page)

```

- "Cock a doodle doo"
  md5sum: e583af1f8b00b53cda87ae9ead880224 # Md5sum of the file (optional)
  encoding: UTF-8 # Encoding for the text file (optional).
↳ Defaults to system locale.

- name: simple echo # A second workflow. Notice the starting ``
↳ which means
  command: "echo moo" # that workflow items are in a list. You can add
↳ as much workflows as you want
  files:
    - path: "moo.txt"
      should_exist: false # Whether a file should be there or not.
↳ (optional, if not given defaults to true)
  stdout: # Options for testing stdout (optional)
    contains: # List of strings which should be in stdout
↳ (optional)
    - "moo"
  must_not_contain: # List of strings that should NOT be in stout
↳ (optional)
    - "Cock a doodle doo"
  encoding: ASCII # Encoding for stdout (optional). Defaults to
↳ system locale.

- name: mission impossible # Also failing workflows can be tested
  tags: # A list of tags that can be used to select
↳ which test
    - should fail # is run with pytest using the `--tag` flag.
  command: bash impossible.sh
  exit_code: 2 # What the exit code should be (optional, if not
↳ given defaults to 0)
  files:
    - path: "fail.log" # Multiple files can be tested for each workflow
    - path: "TomCruise.txt.gz" # Gzipped files can also be searched, provided
↳ their extension is '.gz'
  contains:
    - "starring"
  stderr: # Options for testing stderr (optional)
    contains: # A list of strings which should be in stderr
↳ (optional)
    - "BSOD error, please contact the IT crowd"
  must_not_contain: # A list of strings which should NOT be in
↳ stderr (optional)
    - "Mission accomplished!"
  encoding: UTF-16 # Encoding for stderr (optional). Defaults to
↳ system locale.

- name: regex tests
  command: echo Hello, world
  stdout:
    contains_regex: # A list of regex patterns that should be in
↳ stdout (optional)
    - 'Hello.*' # Note the single quotes, these are required for
↳ complex regexes
    - 'Hello .*' # This will fail, since there is a comma after
↳ Hello, not a space

  must_not_contain_regex: # A list of regex patterns that should not be in
↳ stdout (optional)

```

(continues on next page)

(continued from previous page)

```
- '^He.*'                # This will fail, since the regex matches Hello,
↪world
- '^Hello .*'            # Complex regexes will break yaml if double
↪quotes are used
```

The above YAML file contains all the possible options for a workflow test.

Please see the [Python documentation on regular expressions](#) to see how Python handles escape sequences.

Note: Workflow names must be unique. Pytest workflow will crash when multiple workflows have the same name, even if they are in different files.

3.3 Environment variables

Pytest-workflow runs tests in the same environment as in which the pytest executable was started. This means programs started in tests can use environment variables. However, environment variables inside the command section itself are quoted by pytest-workflow using `shlex.quote`. See the examples below:

```
- name: Try to use an environment variable
  command: echo $MY_VAR
  # Output will be literally "$MY_VAR"

- name: Circumvent shlex quoting by explicitly starting the command in a shell.
  command: bash -c 'echo $MY_VAR'
  # Output will be the content of $MY_VAR

- name: Use a program that checks an environment variable
  command: singularity run my_container.sif
  # Correctly uses "SINGULARITY_" prefixed variables
```

If you want to use shell scripting features such as environment variables inside `command`, you need to explicitly set the shell as shown above.

3.4 Writing custom tests

Pytest-workflow provides a way to run custom tests on files produced by a workflow.

```
import pathlib
import pytest

@pytest.mark.workflow('files containing numbers')
def test_div_by_three(workflow_dir):
    number_file = pathlib.Path(workflow_dir, "123.txt")
    number_file_content = number_file.read_text()
    assert int(number_file_content) % 3 == 0
```

The `@pytest.mark.workflow('files containing numbers')` marks the test as belonging to a workflow named `files containing numbers`. This test will only run if the workflow ‘files containing numbers’ has run.

Multiple workflows can use the same custom test like this:

```
import pathlib
import pytest

@pytest.mark.workflow('my_workflow', 'another_workflow',
                     'yet_another_workflow')
def test_ensure_long_logs_are_written(workflow_dir):
    log = pathlib.Path(workflow_dir, "log.out")
    assert len(log.readtext()) > 10000
```

`workflow_dir` is a fixture. It does not work without a `pytest.mark.workflow('workflow_name')` mark. This is a `pathlib.Path` object that points to the folder where the named workflow was executed. This allows writing of advanced python tests for each file produced by the workflow.

Custom tests must follow the [conventions for Python test discovery](#), which constrains the names of files and functions containing custom tests.

Note: `stdout` and `stderr` are available as files in the root of the `workflow_dir` as `log.out` and `log.err` respectively.

Running pytest-workflow

4.1 Usage

Run `pytest` from an environment with `pytest-workflow` installed or `python3 -m pytest` if using a system-wide or user-wide installation. Pytest will automatically gather files in the `tests` directory starting with `test` and ending in `.yaml` or `.yml`.

The workflows are run automatically. Each workflow gets its own temporary directory to run. The `stdout` and `stderr` of the workflow command are also saved to this directory to `log.out` and `log.err` respectively.

To check the progress of a workflow while it is running you can use `tail -f` on the `stdout` or `stderr` file of the workflow. The locations of these files are reported in the log as soon as a workflow is started.

4.2 Specific pytest options for pytest workflow

```
usage: pytest [-h] [--kwd] [--kw dof] [--wt WORKFLOW_THREADS] [--symlink]
              [--ga] [--sb STDERR_BYTES] [--tag WORKFLOW_TAGS]
```

4.2.1 Named Arguments

--kwd, --keep-workflow-wd Keep temporary directories where workflows are run for debugging purposes. This also triggers saving of `stdout` and `stderr` in the workflow directory.

Default: False

--kw dof, --keep-workflow-wd-on-fail Similar to `--keep-workflow-wd`, but only keeps the temporary directories if there are test failures. On success all directories are deleted.

Default: False

--wt, --workflow-threads The number of workflows to run simultaneously.

Default: 1

--symlink	Instead of copying the current working directory, create a similar directory structure where all files are replaced with symbolic links. This saves disk space, but should only be used for tests that do use these files read-only. Default: False
--ga, --git-aware	Only copy files that are listed by the 'git ls-files' command. This ignores the .git directory, any untracked files and any files listed by .gitignore. Highly recommended when working in a git project. Default: False
--sb, --stderr-bytes	The number of bytes to display from the stderr and stdout on exitcode. Default: 1000
--tag	Run workflows with this name or tag. Default: []

4.3 Setting specific per-project settings using pytest.ini

pytest can be configured using a `pytest.ini` file. This mechanic can be used to set specific settings in each repository where pytest workflow is used.

For example a `pytest.ini` with the following contents:

```
[pytest]
addopts = --git-aware
```

Can be used in a git repository with a workflow.

4.4 Temporary directory cleanup and creation

The temporary directories are cleaned up after the tests are completed. If you wish to inspect the output of a failing workflow you can use the `--keep-workflow-wd` or `--kwd` flag to disable cleanup. This will also make sure the logs of the pipeline are not deleted. If you only want to keep directories when one or more tests fail you can use the `--keep-workflow-wd-on-fail` or `--kwdf` flag. `--keep-workflow-wd-on-fail` will keep all temporary directories, even from workflows that have succeeded.

If you wish to change the temporary directory in which the workflows are run use `--basetemp <dir>` to change pytest's base temp directory.

Warning: When a directory is passed to `--basetemp` some of the directory contents will be deleted. For example: if your workflow is named "my_workflow" then any file or directory named `my_workflow` will be deleted. This makes sure you start with a clean slate if you run pytest again with the same `basetemp` directory. DO NOT use `--basetemp` on directories where none of the contents should be deleted.

The temporary directories created are copies of pytest's root directory, the directory from which it runs the tests. If you have lots of tests, and if you have a large repository, this may take a lot of disk space. To alleviate this you can use the `--symlink` flag which will create the same directory layout but instead symlinks the files instead of copying them. This carries with it the risk that the tests may alter files from your work directory. If there are a lot of large files and files are used read-only in tests, then it will use a lot less disk space and be faster as well.

Note: When your workflow is version controlled in git please use the `--git-aware` option. This omits the `.git` folder, all untracked files and everything ignored by `.gitignore`. This reduces the number of copy operations significantly.

4.5 Running multiple workflows simultaneously

To run multiple workflows simultaneously you can use `--workflow-threads <int>` or `--wt <int>` flag. This defines the number of workflows that can be run simultaneously. This will speed up things if you have enough resources to process these workflows simultaneously.

4.6 Running specific workflows

To run a specific workflow use the `--tag` flag. Each workflow is tagged with its own name and additional tags in the `tags` key of the `yaml`.

```
- name: moo
  tags:
    - animal
  command: echo moo
- name: cock-a-doodle-doo
  tags:
    - rooster sound
    - animal
  command: echo cock-a-doodle-doo
- name: vroom vroom
  tags:
    - car
  command: echo vroom vroom
```

With the command `pytest --tag moo` only the workflow named 'moo' will be run. With `pytest --tag 'rooster sound'` only the 'cock-a-doodle-doo' workflow will run. Multiple tags can be used like this: `pytest --tag 'rooster sound' --tag animal` This will run all workflows that have both 'rooster sound' and 'animal'.

Internally names and tags are handled the same so if the following tests:

```
- name: hello
  command: echo 'hello'
- name: hello2
  command: echo 'hello2'
  tags:
    - hello
```

are run with `pytest --tag hello` then both `hello` and `hello2` are run.

Note: The pytest flags `-k` and `-m` are not supported by pytest-workflow. Rational for this design decision can be found within [GitHub issue #155](#).

5.1 Snakemake example

An example yaml file that could be used to test a snakemake pipeline is listed below.

```
- name: test-dry-run
  command: snakemake -n -r -p -s Snakefile
- name: test-full-run
  command: snakemake -r -p -s Snakefile
  files:
    - "my_output.txt"
  stderr:
    contains:
      - "(100%) done"
```

5.2 WDL with Cromwell example

Below an example yaml file is explained which can be used to test a WDL pipeline run through Cromwell.

By default Cromwell outputs its files in the execution folder in a deeply-nested folder structure. Cromwell can output to a separate workflow-outputs folder and since Cromwell version 40 it can also output the files in a structure that is not nested. For more information check the [Cromwell documentation on global workflow options](#).

In order to run Cromwell for CI tests an options file should be present in the repository with the following contents:

```
{
  "final_workflow_outputs_dir": "test-output",
  "use_relative_output_paths": true,
  "default_runtime_attributes": {
    "docker_user": "$EUID"
  }
}
```

`final_workflow_outputs_dir` will make sure all the files produced in the workflow will be copied to the `final_workflow_outputs_dir`. `use_relative_output_paths` will get rid of all the Cromwell specific folders such as `call-myTask` etc. The `default_runtime_attributes` are only necessary when using docker containers. It will make sure all the files are created by the same user that runs the test (docker containers run as root by default). This will ensure that files can be deleted by `pytest-workflow` afterwards.

The following yaml file tests a WDL pipeline run with Cromwell. In this case Cromwell is installed via conda. The conda installation adds a wrapper to Cromwell so it can be used as a command, instead of having to use the jar.

```
- name: My pipeline
  command: cromwell run -i inputs.json -o options.json moo.wdl
  files:
    - path: test-output/moo.txt.gz
      md5sum: 173fd8023240a8016033b33f42db14a2
  stdout:
    contains:
      - "workflow finished with status 'Succeeded'"
```

5.3 WDL with miniwdl example

For miniwdl please consult the [runner reference](#) for more information on the localization of output files as well as options to modify the running of miniwdl from the environment.

Miniwdl will localize all the output files to an `output_links` directory inside the test output directory. If you have a workflow with the output:

```
output {
  File moo_file = moo_task.out
  Array[File] stats = moo_task.stats_files
}
```

Inside the `out` directory the directories `moo_file` and `stats` will be created. Inside these directories will be the produced files.

The following yaml file tests a WDL pipeline run with miniwdl.

```
- name: My pipeline
  command: miniwdl run -i inputs.json -d test-output/ moo.wdl
  files:
    - path: test-output/output_links/moo_file/moo.txt.gz
      md5sum: 173fd8023240a8016033b33f42db14a2
    - path: test-output/output_links/stats/number_of_moos_per_cow.tsv
      contains:
        - 42
    - path: test-output/output_links/stats/joy_invoking_moos.tsv
      must_not_contain:
        - 0
```

Please note that the trailing slash in `-d test-output/` is important. It will ensure the files end up in the `test-output` directory.

5.4 Nextflow example

With nextflow each process is run in a unique directory where the output files will also be stored. Nextflow can output a copy of the output files to a separate workflow-outputs directory. This can be achieved by defining a `publishDir` in the process. Through `params.outdir` it is possible to define the output directory when running the code.

An example code defining a `publishDir` is listed below.

```
process Hello {
    publishDir = [
        path: { "${params.outdir}/hello" }
    ]

    output:
    path "HelloWorld.txt"
    script:
    """
    echo "Hello World!" > HelloWorld.txt
    """
}

workflow {
    Hello
}
```

To run the code listed above the following command can be used in which `examplecode.nf` is the code listed above:

```
nextflow run examplecode.nf --outdir test-output
```

`publishDir` will make it so that all the output files of the process are copied to the given directory. `--outdir` is used to define the path the output files will go to. In this case `HelloWorld.txt` will be copied to the directory called `test-output/hello`.

An example yaml file that could be used to test the nextflow pipeline from `examplecode.nf` is listed below.

```
- name: My pipeline
  command: nextflow run examplecode.nf --outdir test-output
  files:
    - path: "test-output/hello/HelloWorld.txt"
```

5.5 Bash example

The following is an example of a Bash file that can run directly as a script, or sourced to test each function separately:

```
#!/usr/bin/env bash

function say_hello() {
    local name="$1"
    echo "Hello, ${name}!"
}

function main() {
    say_hello world
}
```

(continues on next page)

(continued from previous page)

```
# Only execute main when this file is run as a script
if [[ "${BASH_SOURCE[0]}" == "${0}" ]]; then
    main
fi
```

Save the bash file as `script.sh`, and test it with the following pytest-workflow configuration:

```
- name: test bash script
  command: bash script.sh
  stdout:
    contains:
      - "Hello, world!"

- name: test bash function
  command: >
    bash -c "
    source script.sh;
    say_hello pytest-workflow
    "
  stdout:
    contains:
      - "Hello, pytest-workflow!"
  must_not_contain:
    - "Hello, world!"
```

CHAPTER 6

Known issues

- `pytest-workflow` does not work well together with `pytest-cov`. This is due to the temporary directory creating nature of `pytest-workflow`. This can be solved by using:

```
coverage run --source=<your_source_here> -m py.test <your_test_dir>
```

This will work as expected.

- `contains_regex` and `must_not_contain_regex` only work well with single quotes in the yaml file. This is due to the way the yaml file is parsed: with double quotes, special characters (like `\t`) will be expanded, which can lead to crashes.
- Special care should be taken when using the backslash character (`\`) in `contains_regex` and `must_not_contain_regex`, since this collides with Python's usage of the same character to escape special characters in strings. Please see the [Python documentation on regular expressions](#) for details.

CHAPTER 7

Reporting bugs and feature requests

Bugs can be reported and features can be requested on our [Github issue tracker](#).

The aim of this project is to be as user-friendly as possible for writing workflow tests, so all suggestions and bug reports are welcome!

CHAPTER 8

Contributing

If you feel like this project is missing a certain something, feel free to make a pull request. You can find [our Github page here](#).

9.1 version 2.1.0-dev

- Document naming conventions for Python test discovery

9.2 version 2.0.1

- Fixed a bug where pytest-workflow would crash on logs that used non-ASCII characters where the chunk of size `--stderr-bytes` did not properly align with the used encoding.

9.3 version 2.0.0

This major release greatly cleans up the output of pytest-workflow in case of an error as well as providing the stderr and stdout last bytes for debugging purposes. When the exit code test fails all other tests from the workflow are skipped.

- Python 3.6 is no longer supported. It has been removed from github actions, as such we can no longer guarantee that pytest-workflow works properly with python 3.6.
- Fix an issue where symlinks in git repositories could not be properly copied.
- Added an optional encoding key for files, stdout and stderr so the file can be opened with the proper encoding.
- Make content tests more efficient by reading each file only once instead of twice when there are both strings and regexes to check for.
- When the `--git-aware` flag is used a submodule check is performed in order to assert that all submodules are properly checked out. This prevents unclear copying errors.
- Tests are now skipped if the workflow does not exit with the desired exit code, except for the exit code tests, to reduce visual clutter when reporting failing tests.

- Tests for checking file content are now skipped when the file does not exist in order to reduce visual clutter when reporting failing tests.
- Test and support for Python 3.11.
- Add `--stderr-bytes` or `--sb` option to change the maximum number of bytes to display for the stderr and stdout on command failure.
- Add stderr and stdout to be displayed on command failure
- Document using `pytest.ini` as a way of setting specific per repository settings for pytest-workflow.
- Add tests for nextflow.
- Document the use of environment variables with pytest-workflow.
- A minimum of pytest 7.0.0 is now a requirement for pytest-workflow. This fixes the deprecation warnings that started on the release of pytest 7.0.0.
- Throw a more descriptive error when a file copied with the `--git-aware` flag is not present on the filesystem anymore.
- Document pytest flags `-k` and `-m` are not supported.

9.4 version 1.6.0

- Add a `--git-aware` or `--ga` option to only copy copy files listed by `git ls-files`. This omits the `.git` folder, all untracked files and everything ignored by `.gitignore`. This reduces the number of copy operations drastically.

Pytest-workflow will now emit a warning when copying of a git directory is detected without the `--git-aware` option.

- Add support and tests for Python 3.10

9.5 version 1.5.0

- Add support for python 3.9
- Update the print statement for starting jobs to be more structured. This will make the output easier to read and use, since different fields (stdout, stderr, command, etc) are all on their own line.
- Do not crash when directories can not be removed due to permission errors. Instead display a message to notify the users which directories could not be removed. These issues occurred sometimes when tests involving docker were run.

9.6 version 1.4.0

- Usage of the `name` keyword argument in workflow marks is now deprecated. Using this will crash the plugin with a `DeprecationWarning`.
- Update minimum python requirement in the documentation.
- Removed redundant check in string checking code.
- Add new options `contains_regex` and `must_not_contain_regex` to check for regexes in files and stdout/stderr.

9.7 version 1.3.0

Python 3.6 and pytest 5.4.0.0 are now minimum requirements for pytest-workflow. This was necessary for fixing the deprecation warning issue and the issue with the subdirectory evaluation. This also gave the opportunity to simplify the source code using new python 3.6 syntax.

- Using the `name` keyword argument in workflow marks will be deprecated from 1.4.0 onwards. A warning will be given if this is used. For example: `pytest.mark.workflow(name="my_workflow")`. Use the name as argument instead: `pytest.mark.workflow("my_workflow")`.
- Allow running custom tests on multiple workflows. You can now use `pytest.mark.workflow("workflow name 1", "workflow name 2", ...)`. ([Issue #75](#))
- Add a `miniwdl` example to the documentation.
- Added a `--symlink` flag to the CLI that changes the copying behavior. Instead of copying, it creates a similar directory structure where all files are linked to with symbolic links. ([Issue #96](#))
- Refactored the code base. Python 3.6's f-strings and type annotation were used consistently throughout the project. Some code was rewritten to be more concise and readable.
- Improved speed for searching string content in files. This was achieved by removing intermediate functions and simplifying the search function.
- Improved speed for calculating md5sums by increasing the read buffer size from 8k to 64k.
- Solve issue where pytest would display a lot of deprecation warnings when running pytest-workflow. ([Issue #98](#))
- Fix issues with later versions of Cromwell and Snakemake in CI testing.
- Add correct subdirectory evaluation to fix issue where `/parent-dir/child` was evaluated as a subdirectory of `/parent` due to starting with the same string. ([Issue #95](#))
- Fix error in cromwell example which did not allow it to remove folders correctly.

9.8 version 1.2.3

- Added missing `help` section for `--tag` on the CLI.
- Documentation: added usage chapter for pytest-workflow specific options.
- Documentation: updated Cromwell example.
- Removed redundant references to `pylint` in code comments and CI.
- Remove Codacy from the CI.

9.9 version 1.2.2

- Test against python3.8
- Do not test on python3.5 snakemake as it crashes. Added test for python3.7 snakemake.
- Fix a typo in the documentation.
- Add tags `'wdl'`, `'cromwell'` and `'snakemake'` to the package to increase discoverability.

- Remove pylint from the lint procedure as it was very strict and got stricter with every update, causing tests that previously succeeded to fail on a regular basis.
- Make sure pytest-workflow crashes when multiple workflows have the same name, even when they are in different files.
- Added setup.cfg to include license in source distributions on PyPI for future versions

9.10 version 1.2.1

- Since pytest 4.5.0 unknown markers give a warning. `@pytest.mark.workflow` markers are now added to the configuration. Information on usage shows up with `pytest --mark`.
- Updated documentation to reflect the move to conda-forge as requested on [this github issue](#).
- Updated documentation on how to test Cromwell + WDL pipelines.

9.11 version 1.2.0

- Giving a `--basetemp` directory that is within pytest's current working directory will now raise an exception to prevent infinite recursive directory copying.
- The cleanup message is only displayed when pytest-workflow is used.
- Added a `--keep-workflow-wd-on-fail` or `--kwdof` flag. Setting this flag will make sure temporary directories are only deleted when all tests succeed.

9.12 version 1.1.2

- Fixed a bug where the program would hang indefinitely after a user input error.

9.13 version 1.1.1

- Added `--kwd` as alias for `--keep-workflow-wd`. Notify the user of deletion of temporary directories and logs.
- Released pytest-workflow as a [conda package on bioconda](#).

9.14 version 1.1.0

- Enabled custom tests on workflow files.

9.15 Version 1.0.0

Lots of small fixes that improve the usability of pytest-workflow are included in version 1.0.0.

- Gzipped files can now also be checked for contents. Files with `'gz'` as extension are automatically decompressed.

- `stdout` and `stderr` of workflows are now streamed to a file instead of being kept in memory. This means you can check the progress of a workflow by running `tail -f <stdout or stderr>`. The location of `stdout` and `stderr` is now reported at the start of each workflow. If the `--keep-workflow-wd` is not set the `stdout` and `stderr` files will be deleted with the rest of the workflow files.
- The log reports now when a workflow is starting, instead of when it is added to the queue. This makes it easier to see which workflows are currently running and if you forgot to use the `--workflow-threads` or `--wt` flag.
- Workflow exit code failures now mention the name of the workflow. Previously the generic name “Workflow” was used, which made it harder to figure out which workflows failed.
- When tests of file content fail because the file does not exist, a different error message is given compared to when the file exist, but the content is not there, which makes debugging easier. Also the accompanying “FileNotFound” error stacktrace is now suppressed, which keeps the test output more pleasant.
- When tests of `stdout/stderr` content or file content fail a more informative error message is given to allow for easier debugging.
- All workflows now get their own folder within the *same* temporary directory. This fixes a bug where if `basetemp` was not set, each workflow would get its own folder in a separate temp directory. For example running workflows ‘workflow1’ and ‘workflow2’ would create two temporary folders:
`‘/tmp/pytest_workflow_33mrz5a5/workflow1’` and `‘/tmp/pytest_workflow_b8m1wzuf/workflow2’`
 This is now changed to have all workflows in one temporary directory per pytest run:
`‘/tmp/pytest_workflow_33mrz5a5/workflow1’` and `‘/tmp/pytest_workflow_33mrz5a5/workflow2’`
- Disallow empty `command` and `name` keys. An empty `command` caused `pytest-workflow` to hang. Empty names are also disallowed.

9.16 Version 0.4.0

- Added more information to the manual on how to debug pipelines and use `pytest-workflow` outside a virtual environment.
- Reworked code to use `tempfile.mkdtemp` to create a truly unique temporary working directory if the `--basetemp` flag is not used. This replaces the old code which depended on pytest internal code which was flagged as deprecated. Also more information was added to the manual about the use of `--basetemp`.
- Added a test case for WDL pipelines run with Cromwell and wrote an example for using WDL+Cromwell in the manual.
- Added `--tag` flag to allow for easier selection of workflows during testing.
- Added a test case for snakemake pipelines and wrote an example for using `pytest-workflow` with snakemake in the manual.

9.17 Version 0.3.0

- Improved the log output to look nicer and make workflow log paths easier to find in the test output.
- Fixed an error that polluted the log message with a pytest stacktrace when running more than one workflow. Measures are taken in our test framework to detect such issues in the future.
- Added the possibility to run multiple workflows simultaneously with the `--workflow-threads` or `--wt` flag.

- Made code easier to maintain by using `stdlib` instead of `pytest's py` lib in all of the code.
- Added a schema check to ensure that tests have unique names when whitespace is removed.

9.18 Version 0.2.0

- Cleanup the readme and move advanced usage documentation to our `readthedocs` page.
- Start using `sphinx` and `readthedocs.org` for creating project documentation.
- The temporary directories in which workflows are run are automatically cleaned up at the end of each workflow test. You can disable this behaviour by using the `--keep-workflow-wd` flag, which allows you to inspect the working directory after the workflow tests have run. This is useful for debugging workflows.
- The temporary directories in which workflows are run can now be changed by using the `--basetemp` flag. This is because `pytest-workflow` now uses the built-in `tmpdir` capabilities of `pytest`.
- Save `stdout` and `stderr` of each workflow to a file and report their locations to `stdout` when running `pytest`.
- Comprehensible failure messages were added to make debugging workflows easier.

9.19 Version 0.1.0

- A full set of examples is now provided in the `README`.
- Our code base is now checked by `pylint` and `bandit` as part of our test procedure to ensure that our code adheres to python and security best practices.
- Add functionality to test whether certain strings exist in files, `stdout` and `stderr`.
- Enable easy to understand output when using `pytest` verbose mode (`pytest -v`). The required code refactoring has simplified the code base and made it easier to maintain.
- Enable the checking of non-existing files
- Enable the checking of file `md5sums`
- Use a schema structure that is easy to use and understand.
- `Pytest-workflow` now has continuous integration and coverage reporting, so we can detect regressions quickly and only publish well-tested versions.
- Fully parametrized tests enabled by changing code structure.
- Initialized `pytest-workflow` with option to test if files exist.